





- Versatile
- Fast

Varia pro: Adjustable speed from 120 to 240 slices / min Varia self: 180 slices / min

- Easy: Intuitive touch screen
- Maximum safety
- Exemplary hygiene





Best-in-class slicing performances for a wide range of bread



Smooth and quiet for all breads

- New engine generation designed for maximum precision on a wide range of breads, without lubrication
- Soft start and stop function



VARIA PRO Adjustable speed up to 240 slices/ minute

In order to reach the fastest possible speed for each bread type

VARIA SELF Adjustable (to be performed by technician) speed up to 180 slices / minute

In order to use a speed that allows users to cut the entire product line without any worry.



Teflon coated circular blade

Developed to cut through a large variety of breads; from soft to dense, with a hard crust, and even sticky

Planetary blade drive

- Fluid blade movement, avoids back-andforth shakes
- Robust solution for long-term mechanical reliability

State-of-the-art ergonomics



Dual PRO & Self touch screen controls

Clear and simple interface, for an immediate and intuitive use





SELF

Touch screen interface and consumers instructions

Step by step instructional graphics



Automatic claw

Just place the bread and the machine does the rest while you continue to serve your customers



Multi-positions adjustable bagging

- Rotating spade, above cutting chamber, to optimize ergonomics and hygiene
- Two standard (left and right) bagging spade positions
- Or non-rotating front position (option)



Upper cover

- Prevents objects placed on the machine (e.g. bags) to be pushed inadvertently behind the machine when opening the front cover
- Rotates for easy cleaning



Manual claw (option)

- For all kinds of breads, including sharp ends
- Allows to minimize last slice width



Easy to access power switch

Accessible from the front of the machine, but not visible; avoids operations by a non-authorized person.



Lighting guidance and ambiance

Lights insertion zone then exit zone







Safe and clean environment



Maximum safety

- Highest safety standards, for machine
 use by consumers and staff
- use by consumers and staff
 The blade cannot run when the machine is not 100% locked



Smooth and cleanable surfaces


- Internal architecture designed to channel bread crumbs to an easily accessible crumb tray
- Flat surfaces (without recess around)



Anti-pinch design

 Users cannot inadvertently pinch their fingers in the front cover sliders

Accessories to enhance staff and consumer experience



10 cm Front bagging stand



Bag holder

	VARIA 800	VARIA 1000
FEATURES		
Maximum loaf dimensions (L \times W \times H) in inches	14,9" x 13,4" x 6,3"	19,3" x 13,4" x 6,3"
Slice thickness in mm	Can be set from 4 to 30mm	Can be set from 4 to 30mm
Power supply	208-230v/1p	208-230v/1p
Plug Configuration	NEMA L6-20P*	NEMA L6-20P*
Motor power in kW	0.75	0.75
Net weight in lbs	507	507
Blade type and dimensions in inches	16,5" diameter, Teflon-coated	16,5" diameter, Teflon-coated
Automatic claw	•	•
10 cm Front bagging stand	•	•
Bag holder	•	•
Led lights	•	•
Dual Pro & Self touch screen controls	•	•
Upper cover	•	•
Cleaning position	•	•
OPTION		
Manual claw	•	•



Plug Configuration
NEMA L6-20P



Warranty valid for all parts on your machine, including electronic components but excluding consumables.

Please do not hesitate to contact your approved dealer for further information.













