


DIVIFORM TRADIFORM DIVIFORM + PANIFORM



a (r)evolution keeping with tradition

Reorganize your bakery to offer hot bread throughout the day without altering the quality of your product.

Thanks to the dividing-moulding process, the dough stored in the proofer is directly transferred into the tank of our divider-moulder. Press your dough without de-gassing it, divide the dough with any of our large range of grids, bake your dough pieces and you'll get in less than 30 minutes fresh bread at any time of the day while improving your profitability with the dough management up to 72 hours.











A global concept

Because Form Factory is not just a range of dividers-moulders, we offer you a complete solution.



The good tool for the good product

Because the needs of one are not the needs of the other, we have developed a ccomplete range of dough dividers.

Dividers to suit everyones needs. From the dividform for high hydration doughs to the top of the line Paniform which is fully automatic and programmable.

		DIVIFORINI #	TRADIFORM	PANIFORM
		- ALL CONTROLLED IN CONTROLLED IN CONTROLLED IN CONTROL INCOLUCIA INCOLUCIA IN CONTROL I		100% automatic
	For highly hydrated dough	For all types of dough	For all types of dough	For all types of dough
	Dividing-moulding with grids up to 5Kg	Dividing-moulding with grids up to 5 Kg	Dividing in tank up to 19Kg or with grids up to 5Kg	Dividing in tank up to 19Kg or with grids up to 5Kg
			Breads up to 1,9 Kg with option 10/20	Breads up to 1,9 Kg with option 10/20
click cut!				
Catalogue with more than 100 grids	•	•		
FlexiCut				
Stainless steel frame and tank pressing cover		•		
Thrashing hood				
Adjustable pressure				
Flour collection system				
Stainless steel blades division in tank				
Easy Clean technology				
10/20 division			Option	Option
Easylack				
Easyflour	Option	Option	Option	
Fullmatic	Option	Option	Option	
Dimensions in mm	1600	1760	1760	1760

The Paniform, concentrate of technology, offers you all you need to offer authentic products,



with locking cover

gasket stops flour escaping into your bakery

Stainless blades and tank


Easyflour

Setting parameters

Cleaning blades

Choice between full or half-full tank to optimize the dough volume

Pressure setting time




Option10 / 20 divisions for breads up to 1.9 kg



Pressure setting to avoid stressing the dough

e of technology

s, respecting the traditions and making you unique.



Easyflour Pending

The easyflour allows you to flour the tank ergonomically.




Rotating handle for ease of use




Fluid and ergonomic linear motion

patented system ensures a precise spread of the flour



Transparent cover allows you to monitor flour level

Rotating brush controls flour dispersion



e of technology


Automatic grid support locking system

Easyleck

You just close the grid and it's locked



Press the hook and the grid opens




Automatic cycle


Fullmatic



The button flashes. In order to start the cycle, press the button. Cast iron head are coming down to free the tank



Once the cycle ends, the button lights up. Open the hood or the grid and the cast iron head come up freeing the dough





The button is lit. You can pour the dough in the tank. The closure of the hood or the grid will start the cycle of packing or cutting





The button turns off during the thrashing cutting cycle



He tells us about it



It has been more than 8 years since I use the range of JACdivider-moulders in my different bakeries. Tied associated to my work method, it meets perfectly all my requirements.

An inventory management of the dough and an on demand baking.

Compactness, reliability and ease of use of this range are now enhanced by the automation brought by the new PANIFROM enabling improved ergonomy

Christophe Cliet-Marrel

Like Christophe, diversify your product range thanks to one of the various grids availables in our catalog.





Warranty valid for all parts on your machine, including electronic components but excluding consumables.

Please do not hesitate to contact your approved dealer for further information.

EUROPE

JAC s.a. Liège Tél.: +32 (0)4 234 98 70 info@jac-machines.com mail@jac-machines.com

JAC s.a. Langres Tél.: +33 (0)3 25 86 00 20

JAC GmbH Heidelberg Tel.: +49 (0)6226/952600 Fax: +32 (0)4 234 98 97 Fax: +33 (0)3 25 86 00 30 Fax: +49 (0)6226/9526012 post@jac-machines.com

RUSSIA

000 "JAC" Russia Tel.: +7 916 474 2694 info.ru@jac-machines.com

USA

JAC Inc. Boston Tel.: + 1 781-721-2100 Fax: + 1 781-721-2112 office@jac-machines.com